



**EU GATE**

# INTRODUCE

About PCG GATE "EU GATE" is a research and development, production, sales, service integration company specialized gates. Enterprises have been adhered to the "people-oriented, innovative" ideas, talents and constantly introducing foreign advanced and technical, so that stable and performance, stylish appearance, as the gates of the market to provide the countless fine

The spirit of "sincere cooperation, create a win-win PCG GATE "EU GATE" giving customers honest and trustworthy corporate image, after the baptism in the pool of PCG GATE, door industry is unwavering pursuit of perfection. PCG GATE true sincerity and sweat over every step, with the human, standardized and institutionalized, scientific management to develop the market, real love and devotion to the society and embrace the future with wisdom and passion!





**EU GATE**

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD

**P-001**

Material: Stainless steel. Height: 1600mm. Width: 680mm.  
Wheel center distance: 600mm. Stretch ratio: 1:0.15+0.38.



**P-003**

Material: Stainless steel. Height: 1600mm. Width: 660mm.  
Wheel center distance: 600mm. Stretch ratio: 1:0.2+0.45.



**P-002**

Material: Stainless steel. Height: 1600mm. Width: 660mm.  
Wheel center distance: 600mm. Stretch ratio: 1:0.2+0.45.




**P-004**

Material: Stainless steel. Height: 1600mm. Width: 660mm.  
Wheel center distance: 600mm. Stretch ratio: 1:0.2+0.45.



**EU GATE**

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD



**P-005**

Material: Stainless steel.  
Height: 1600mm. Width: 660mm.  
Wheel center distance: 600mm. Stretch ratio: 1:0.2+0.45




**P-007**

Material: Stainless steel.  
Height: 1600mm. Width: 660mm.  
Wheel center distance: 600mm. Stretch ratio: 1:0.17+0.45



**P-006**

Material: Stainless steel.  
Height: 1600mm. Width: 660mm.  
Wheel center distance: 600mm. Stretch ratio: 1:0.17+0.45



**P-008**

Material: Stainless steel.  
Height: 1800mm. Width: 660mm.  
Wheel center distance: 600mm. Stretch ratio: 1:0.17+0.45



**EU GATE**

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD

**P-009**

Material: Stainless steel. Height: 1600mm. Width: 660mm.  
Wheel center distance: 600mm. Stretch ratio: 1:0.2+0.45



**P-011**

Material: Stainless steel. Height: 1600mm. Width: 660mm.  
Wheel center distance: 600mm. Stretch ratio: 1:0.2+0.45




**P-010**

Material: Stainless steel. Height: 1800mm. Width: 840mm.  
Wheel center distance: 780mm. Stretch ratio: 1:0.18+0.45



**P-012**

Material: Stainless steel. Height: 1600mm. Width: 660mm.  
Wheel center distance: 600mm. Stretch ratio: 1:0.2+0.45






**EU GATE**

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD

**P-013**

Material: Stainless steel. Height: 1600mm. Width: 780mm.  
Wheel center distance: 720mm. Stretch ratio: 1:0.16+0.4.



**P-015**

Material: Stainless steel. Height: 1600mm. Width: 880mm.  
Wheel center distance: 940mm. Stretch ratio: 1:0.2+0.4.



**P-014**

Material: Stainless steel. Height: 1600mm. Width: 660mm.  
Wheel center distance: 600mm. Stretch ratio: 1:0.16+0.4



**P-016**

Material: Stainless steel. Height: 1600mm. Width: 780mm.  
Wheel center distance: 830mm. Stretch ratio: 1:0.2+0.4.






**EU GATE**

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD

**P-017**

Material: Stainless steel. Height: 1600mm. Width:940mm.  
Wheel center distance: 830mm. Stretch ratio: 1:0.2+0.4



**P-019**

Material: Stainless steel. Height: 1600mm. Width:640mm.  
Wheel center distance: 830mm. Stretch ratio: 1:0.2+0.4




**P-018**

Material: Stainless steel. Height: 1600mm. Width:780mm.  
Wheel center distance: 830mm. Stretch ratio: 1:0.2+0.4.



**P-020**

Material: Stainless steel. Height: 1600mm. Width:640mm.  
Wheel center distance: 830mm. Stretch ratio: 1:0.2+0.4





**EU GATE**

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD



**P-021**

Material: Stainless steel. Height: 1650mm. Width: 840mm.  
Wheel center distance: 600mm. Stretch ratio: 1:0.2+0.45.



**P-023**

Material: Stainless steel. Height: 1600mm. Width: 660mm.  
Wheel center distance: 880mm. Stretch ratio: 1:0.24+0.45.



**P-022**

Material: Stainless steel. Height: 1650mm. Width: 840mm.  
Wheel center distance: 840mm. Stretch ratio: 1:0.2+0.5.



**P-024**

Material: Stainless steel. Height: 1600mm. Width: 880mm.  
Wheel center distance: 820mm. Stretch ratio: 1:0.29+0.5.





**EU GATE**

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD

### **P-025**

Height: 1600mm. Width: 660mm.

Stretch ratio: 1:0.17+0.45. Wheel center distance: 600mm.



### **P-026**

Height: 1600mm. Width: 760mm.

Stretch ratio: 1:0.17+0.45.

Wheel center distance: 700mm.



### **P-027**

Height: 1600mm. Width: 660mm.

Stretch ratio: 1:0.17+0.45.

Wheel center distance: 600mm.





EU GATE

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD

## P-028

Height: 1600mm. Width: 860mm.

Stretch ratio: 1:0.17+0.45.

Wheel center distance: 800mm.




## P-029

Height: 1600mm. Width: 860mm.

Stretch ratio: 1:0.17+0.45.

Wheel center distance: 800mm.



## P-030

Height: 1600mm. Width: 860mm.

Stretch ratio: 1:0.17+0.45.

Wheel center distance: 800mm.




## P-031

Height: 1600mm.

Width: 860mm. Stretch ratio: 1:0.17+0.45.


Wheel center distance: 800mm.





**EU GATE**

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD



**P-032**

Material: Stainless steel.

Height: 1600mm





**P-033**  
Material: Stainless steel.  
Height: 1600mm



**P-034**  
Material: Stainless steel.  
Height: 1600mm

HEIGHT: 1600MM. STRETCH RATIO: 1:0.2+0.45




**P-035**


Material: Stainless steel.  
Height: 1600mm. Width: 660mm.  
Wheel center distance: 600mm. Stretch ratio: 1:0.17+0.45

**P-037**

Material: Stainless steel.  
Height: 1600mm. Width: 660mm.  
Wheel center distance: 600mm. Stretch ratio: 1:0.17+0.45

**P-036**

Material: Stainless steel.  
Height: 1600mm. Width: 760mm.  
Wheel center distance: 700mm. Stretch ratio: 1:0.2+0.45

**P-038**


Material: Stainless steel.  
Height: 1600mm. Width: 660mm.  
Wheel center distance: 600mm. Stretch ratio: 1:0.17+0.45





**EU GATE**

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD




**P-039**

Material: Stainless steel.  
Height: 1600mm. Width: 860mm.  
Wheel center distance: 800mm. Stretch ratio: 1:0.26+0.5



**P-041**

Material: Stainless steel.  
Height: 1600mm. Width: 730mm.  
Wheel center distance: 670mm. Stretch ratio: 1:0.18+0.45




**P-040**

Material: Stainless steel.  
Height: 1600mm. Width: 730mm.  
Wheel center distance: 670mm. Stretch ratio: 1:0.16+0.45



**P-042**

Material: Stainless steel.  
Height: 1600mm. Width: 760mm.  
Wheel center distance: 700mm. Stretch ratio: 1:0.26+0.45






EU GATE

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD

## P-047

Material: Stainless steel

Height: 1600mm





P-048 Material: Stainless steel  
Height: 1600mm



P-049 Material: Stainless steel  
Height: 1600mm

HEIGHT: 1600MM. STRETCH RATIO: 1:0.26+0.5









EU GATE

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD



P-054 Material: Stainless steel. Height: 1600mm. Stretch ratio: 1:0.26+0.8



P-056 Material: Stainless steel. Height: 1600mm. Stretch ratio: 1:0.26+0.8



P-055 Material: Stainless steel. Height: 1600mm. Stretch ratio: 1:0.26+0.8



P-057 Material: Stainless steel. Height: 1600mm. Stretch ratio: 1:0.34+0.6



EU GATE

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD



P-058 Material: Stainless steel. Height: 1600mm. Stretch ratio: 1:0.26+0.6



P-060 Material: Stainless steel. Height: 1600mm. Stretch ratio: 1:0.26+0.6



P-059 Material: Stainless steel. Height: 1600mm. Stretch ratio: 1:0.26+0.5



P-061 Material: Stainless steel. Height: 1600mm. Stretch ratio: 1:0.26+0.6



**EU GATE**


GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD

### **P-062**

Height: 1600mm. Width: 950mm.

Stretch ratio: 1:0.28+0.8.

Wheel center distance: 880mm.



### **P-063**

Height: 1600mm. Width: 950mm.

Stretch ratio: 1:0.28+0.8.

Wheel center distance: 880mm.



### **P-064**

Height: 1600mm. Width: 950mm.

Stretch ratio: 1:0.28+0.45.

Wheel center distance: 880mm.



**EU GATE**

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD


## P-065

Material: Stainless steel

Height: 1600mm



HEIGHT: 1600MM. STRETCH RATIO: 1:0.26+0.8



## P-066

Material: Stainless steel

Height: 1600mm





**EU GATE**

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD

### P-067

Material: Stainless steel

Height: 1700mm




### P-068

Material: Stainless steel

Height: 1700mm



HEIGHT: 1600MM. STRETCH RATIO: 1:0.26+0.8





**EU GATE**

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD

**P-069**

Material: Stainless steel

Height: 1700mm




**P-070**

Material: Stainless steel

Height: 1700mm

HEIGHT: 1600MM. STRETCH RATIO: 1:0.26+0.8







EU GATE

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD


## P-071 Material: Aluminum alloy



### Specifications



### Material Data





Stretching ratio: 1:0.3+0.7 **Golden** **Silver**



EU GATE

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD

## P-072 Material: Aluminum alloy







**EU GATE**

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD

**P-073**

Material: Aluminum alloy.


Height: 1700mm





**EU GATE**

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD



**P-074**

Material: Aluminum alloy.

Height: 1700mm




**P-075**

Material: Aluminum alloy.

Height: 1700mm

**HEIGHT: 1600MM. STRETCH RATIO: 1:0.26+0.8**





**EU GATE**

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD



**P-076**

Height: 1700mm. Width: 960mm.

Stretch ratio: 1:0.28+0.8.

Wheel center distance: 890mm.



**P-077**

Height: 1700mm. Width: 960mm.

Stretch ratio: 1:0.28+0.8.

Wheel center distance: 890mm.



**P-078**

Height: 1600mm. Width: 860mm.

Stretch ratio: 1:0.27+0.8.

Wheel center distance: 800mm.



**EU GATE**

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD

### **P-079**

Height: 1700mm. Width: 950mm.

Stretch ratio: 1:0.28+0.8.

Wheel center distance: 880mm.




### **P-080**

Height: 1600mm. Width: 880mm.

Stretch ratio: 1:0.28+0.5.

Wheel center distance: 800mm.



### **P-081**

Height: 1600mm. Width: 880mm.

Stretch ratio: 1:0.28+0.5.

Wheel center distance: 800mm.



EU GATE


GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD

### P-082

Height: 1600mm. Width: 950mm.

Stretch ratio: 1:0.28+0.8.

Wheel center distance: 880mm.



### P-083

Height: 1600mm. Width: 950mm.

Stretch ratio: 1:0.28+0.8.

Wheel center distance: 880mm.



### P-084

Height: 1600mm. Width: 950mm.

Stretch ratio: 1:0.28+0.45.


Wheel center distance: 880mm.





**EU GATE**

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD



**P-085**

Height: 1600mm. Width: 950mm.

Stretch ratio: 1:0.28+0.8.

Wheel center distance: 880mm.



**P-086**

Height: 1600mm. Width: 950mm.

Stretch ratio: 1:0.28+0.8.

Wheel center distance: 880mm.



**P-087**

Height: 1600mm. Width: 950mm.

Stretch ratio: 1:0.28+0.8.

Wheel center distance: 880mm.



EU GATE

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD



**P-088**

Material: Aluminum alloy.

Height: 1600mm



**P-089**


Material: Aluminum alloy.  
Height: 1650mm



**P-090**

Material: Aluminum alloy.  
Height: 1650mm

HEIGHT: 1600MM. STRETCH RATIO: 1:0.28+0.5





**EU GATE**

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD


## P-091

Material: Aluminum alloy.

Height: 1650mm



HEIGHT: 1600MM. STRETCH RATIO: 1:0.17+0.5



## P-092

Material: Aluminum alloy. Height: 1650mm



## P-093


Material: Aluminum alloy. Height: 1650mm





EU GATE


GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD



**P-094**

Material: Aluminum alloy.


Height: 1600mm



**P-095**

Material: Aluminum alloy.  
Height: 1600mm

HEIGHT: 1600MM. STRETCH RATIO: 1:0.21+0.5





EU GATE

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD

### P-096

Height: 1600mm. Width: 750mm.

Stretch ratio: 1:0.21+0.5.

Wheel center distance: 660mm.




### P-097

Height: 1600mm. Width: 680mm.

Stretch ratio: 1:0.18+0.45.

Wheel center distance: 600mm.



### P-098

Height: 1600mm. Width: 580mm.

Stretch ratio: 1:0.18+0.45.

Wheel center distance: 500mm.





**EU GATE**


GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD

### P-099

Height: 1600mm. Width: 840mm.

Stretch ratio: 1:0.21+0.45.

Wheel center distance: 780mm.



### P-100

Height: 1600mm. Width: 760mm.

Stretch ratio: 1:0.18+0.45.

Wheel center distance: 700mm.



### P-101

Height: 1600mm. Width: 760mm.

Stretch ratio: 1:0.18+0.45.

Wheel center distance: 700mm.




### P-102

Height: 1600mm. Width: 680mm.

Stretch ratio: 1:0.18+0.45.

Wheel center distance: 600mm.






**EU GATE**

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD

**P-103**

Material: Aluminum alloy.

Height: 1600mm



**P-104**




Height: 1600mm. Width: 780mm.

Stretch ratio: 1:0.22+0.45.

Wheel center distance: 700mm.



**HEIGHT: 1600MM. STRETCH RATIO: 1:0.22+0.5**






**EU GATE**

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD


## P-105

Material: Aluminum alloy.

Height: 1600mm




**P-106** Material: Aluminum alloy.  
Height: 1600mm



**P-107** Material: Aluminum alloy.  
Height: 1600mm


HEIGHT: 1600MM. STRETCH RATIO: 1:0.2+0.45





**EU GATE**

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD




**P-108**

Height: 1600mm. Width: 950mm.

Stretch ratio: 1:0.18+0.45.

Wheel center distance: 890mm.



**P-109**

Height: 1600mm. Width: 880mm.

Stretch ratio: 1:0.18+0.45.

Wheel center distance: 800mm.



**P-110**

Height: 1600mm. Width: 680mm.

Stretch ratio: 1:0.18+0.45.

Wheel center distance: 600mm.



**EU GATE**

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD

### **P-111**

Height: 1600mm. Width: 680mm.

Stretch ratio: 1:0.18+0.45.

Wheel center distance: 600mm.



### **P-112**

Height: 1600mm. Width: 680mm.

Stretch ratio: 1:0.18+0.45.

Wheel center distance: 600mm.






### **P-113**

Height: 1600mm. Width: 680mm.

Stretch ratio: 1:0.18+0.45.

Wheel center distance: 600mm.










**EU GATE**

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD



**P-118**

Material: Aluminum alloy.  
Height: 1900mm. Width: 1080mm. Wheel center distance: 1000mm.  
Stretch ratio: 1:0.18+0.6.




**P-120**

Material: Aluminum alloy.  
Height: 1600mm. Width: 680mm. Wheel center distance: 600mm.  
Stretch ratio: 1:0.16+0.45.




**P-119**

Material: Aluminum alloy.  
Height: 680mm. Width: 680mm. Wheel center distance: 600mm.  
Stretch ratio: 1:0.16+0.45.



**P-121**

Material: Aluminum alloy.  
Height: 1600mm. Width: 680mm. Wheel center distance: 600mm.  
Stretch ratio: 1:0.17+0.45.





**EU GATE**

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD

**P-126**

Material: Aluminum alloy. Height: 1600mm. Width: 650mm.  
Wheel center distance: 580mm. Stretch ratio: 1:0.16+0.45.



**P-128**

Material: Aluminum alloy. Height: 1600mm. Width: 650mm.  
Wheel center distance: 580mm. Stretch ratio: 1:0.16+0.45.




**P-127**

Material: Aluminum alloy. Height: 1600mm. Width: 760mm.  
Wheel center distance: 700mm. Stretch ratio: 1:0.18+0.45.



**P-129**

Material: Aluminum alloy. Height: 1600mm. Width: 680mm.  
Wheel center distance: 600mm. Stretch ratio: 1:0.22+0.5.






EU GATE

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD

## P-130

Material: Aluminum alloy. Height: 1600mm






### LUXURY ATMOSPHERE KING STYLE

People live in peace; gate is not only the external image of architecture, but also the external image of people, which highlights people's self display.

This luxurious structure of the city gate can fully show your identity, make your image decorated by the unique honorific fees of the aristocrats in the past, and set off your difference.

HEIGHT: 1600MM. STRETCH RATIO: 1:0.2+0.45




**P-131**


Material: Aluminum alloy.  
Height: 1600mm. Width: 730mm.  
Wheel center distance: 700mm. Stretch ratio: 1:0.2+0.45

**P-133**



Material: Aluminum alloy.  
Height: 1600mm. Width: 660mm.  
Wheel center distance: 600mm. Stretch ratio: 1:0.17+0.45

**P-132**

Material: Aluminum alloy.  
Height: 1600mm. Width: 660mm.  
Wheel center distance: 600mm. Stretch ratio: 1:0.17+0.45

**P-134**

Material: Aluminum alloy.  
Height: 1600mm. Width: 860mm.  
Wheel center distance: 800mm. Stretch ratio: 1:0.2+0.45

**P-141****P-142****P-143****P-144****P-145**



## P-146 Floating door

Material: Aluminum alloy

Best height: 1700mm



## P-147 Floating door

Material: Aluminum alloy

Best height: 1700mm



Serial number	One	Two	Three	Four	Fives	Six	Seven
Name	Lower beam	Upper beam	Door row horizontal material	Door row main material	Door row vertical material	Gantry	Down row flower material
Material	High-quality aluminum alloy 6005-T5	High-quality aluminum alloy 6005-T5	High-quality aluminum alloy 6063-T5	High-quality aluminum alloy 6063-T5	High-quality aluminum alloy 6063-T5	100x100	High-quality aluminum alloy 6063-T5
Size(mm)	140x80	140x80	72x25	76x76	45x38		
Surface treatment	Using AkzoNobel electrostatic spray paint						

**EU GATE**

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD

## P-148 Dual sliding door

Material: Aluminum alloy

Best height:1700mm

Serial number	One	Two	Three	Four	Fives	Six	Seven
Name	Lower beam	Upper beam	Door row horizontal material	Door row main material	Door row vertical material	Gantry	Down row flower material
Material	High-quality aluminum alloy 6005-T5	High-quality aluminum alloy 6005-T5	High-quality aluminum alloy 6063-T5	High-quality aluminum alloy 6063-T5	High-quality aluminum alloy 6063-T5	100x100	High-quality aluminum alloy 6063-T5
Size(mm)	140x80	140x80	72x25	76x76	45x38		
Surface treatment	Using AkzoNobel electrostatic spray paint						



## P-149

### Dual sliding door

Material: Aluminum alloy

Best height:1700mm

## P-150

Material: Aluminum alloy  
Best height:1700mm





**EU GATE**

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD



Electronic board for sliding gate with rail



Electronic board for sliding gate non rail



Magnetic open for sliding gate with rail



Magnetic open for sliding gate with no rail



Led display



Sensor back



Anti-collision



Single motor



Double motor



Small wheel D=90mm



Big wheel D=120mm



EU GATE

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD

## TYPICAL PARTNERS



AGRIBANK



Ngân hàng của mọi nhà



## TYPICAL PROJECTS





## EU GATE

GOOD GATE CHOOSES WAR GENERAL, SAFETY PROTECTION GOD



